

Crash Course RDF+SPARQL

RDF

- RDF is describing metadata per triples
- “simplest possible database”
- Abstract away from (relational, or tree-like) structure

Triples: Subject Predicate Object

axel isA Person .

axel knows gb .

axel knows andreas .

gb isSupervisorOf gennaro .

Resources in RDF

- Resources are identified by URIs (to encourage web-wide unique identifiers)

“axel isA Person”

```
<http://polleres.net/foaf.rdf#me>  
  <http://www.w3.org/1999/02/22-rdf-syntax-ns#type>  
    <http://xmlns.com/foaf/0.1/Person> .
```

Ugly to read... allow shortcuts:

@prefix : <http://polleres.net/foaf.rdf#>

@prefix rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>

@prefix foaf: <http://xmlns.com/foaf/0.1/>

:me rdf:type foaf:Person .

Apart from URIs Literal values allowed for objects:

:me foaf:name "Axel Polleres" .

:me ex:age "33"^^xsd:integer .

RDF allows making statements about unknown resources:

- “axel knows someone called ‘David’ “

:me foaf:knows _:x .

_:x foaf:name “David” .

_:x a bit like an existential variable...

_:x is a so-called “*blank node*” ... why?

Sets of Triples are often viewed as a Graph:

```
:me a Person .  
:me foaf:name "Axel Polleres" .  
:me ex:age "33"^^xsd:integer .  
:me foaf:knows _:x .  
_:x foaf:name "David" .  
:me foaf:knows <http://www.gibbi.com/me> .  
<http://www.gibbi.com/me> foaf:name "GB" .
```

--> draw the graph

Syntaxes

- RDF/XML ... barely readable for humans but good for exchange.
- Turtle ... what we used so far, plus a few shortcuts, “Terse Rdf Language”

2 Example RDF graphs:

```
# Graph: ex.org/bob
@prefix foaf: <http://xmlns.com/foaf/0.1/> .
@prefix bob: <ex.org/bob#> .

<ex.org/bob> foaf:maker _:a.
_:a a foaf:Person ; foaf:name "Bob";
    foaf:knows _:b.

_:b a foaf:Person ; foaf:nick "Alice".
<alice.org/> foaf:maker _:b
```

```
# Graph: alice.org
@prefix foaf: <http://xmlns.com/foaf/0.1/> .
@prefix alice: <alice.org#> .

    alice:me a foaf:Person ; foaf:name "Alice" ;
        foaf:knows _:c.

_:c a foaf:Person ; foaf:name "Bob" ;
    foaf:nick "Bobby".
```

Turtle shortcuts:

‘;’ groups predicate value pairs with common subject.

‘,’ groups object for the same predicate

[] blank nodes can also be abbreviated with brackets.

SPARQL

- Simple Protocol and RDF Query Language
 - Basic Graph Patterns (Conjunctive queries)
 - UNIONS
 - GRAPH Patterns
 - OPTIONAL Patterns
 - FILTERs

SPARQL Queries

- 3 basic forms
 - SELECT
 - ASK
 - CONSTRUCT
- We start with SELECT:

```
SELECT    Variables  
FROM      Dataset  
WHERE     Pattern
```

Basic Graph Patterns (Conjunctive queries)

“select persons and their names”

```
SELECT ?X ?Y
FROM <http://alice.org>
FROM <http://ex.org/bob>
WHERE { ?X a foaf:Person . ?X foaf:name ?Y . }
```

?X	?Y
_:a	“Bob”
_:c	“Bob”
alice:me	“Alice”

UNIONS

*“select Persons and their names **or** nicknames”*

```
SELECT ?X ?Y
FROM ...
WHERE { { ?X foaf:name ?Y . }
        UNION { ?X foaf:nick ?Y .} }
```

?X	?Y
_:a	“Bob”
_:c	“Bob”
alice:me	“Alice”
_:b	“Alice”
_:c	“Bobby”

GRAPH patterns

“select creators of graphs and the persons they know”

```
SELECT ?X ?Y
FROM <alice.org>
FROM NAMED <alice.org>
FROM NAMED <ex.org/bob>
WHERE { ?G foaf:maker ?X .
        GRAPH ?G { ?X foaf:knows ?Y. } }
```

?X	?Y
_:a	_:b

OPTIONAL

- Leaves unmatchable variables unbound:

“select all persons and optionally their names”

```
SELECT *  
WHERE  
{  
  ?X a foaf:Person .  
  OPTIONAL {?X foaf:name ?N }  
}
```

?X	?N
_:a	“Bob”
_:b	
_:c	“Bob”
alice:me	“Alice”

FILTERs

- By means of FILTERs, one can filter out undesired solutions, e.g.

“select persons older than 30”

```
SELECT ?X
WHERE { ?X a foaf:person .
        ?X ex:age ?Y .
        FILTER (?Y > 30)
}
```

- FILTERs can be complex boolean combinations (&&, ||, !)
- Special FILTER functions allowed, e.g. “BOUND(*Var*)”

- FILTERs can be used to emulate set difference (or negation as failure):

“select all persons *without* an email address”

```
SELECT ?Name ?Email
WHERE
{
  ?X a ?Person
  OPTIONAL { ?X :email ?Email }
  FILTER ( !bound( ?Email ) )
}
```

- FILTERs can NOT bind new variables!

```
SELECT ?X ?Y
WHERE { ?X ex:age ?Z .
        FILTER ( ?Y = ?Z + 1 ) }
```

will not produce results, since “unbound = 33+1” gives an error.

CONSTRUCT

- allows to create new triples ...

```
CONSTRUCT{ :me foaf:knows ?X }  
FROM <http://www.deri.ie/about/team>  
WHERE { ?X a foaf:Person. }
```

- Tricky: blank nodes in CONSTRUCT

```
CONSTRUCT { :me foaf:knows _:x .  
            _:x foaf:name ?X}  
FROM <http://www.deri.ie/about/team>  
WHERE { _:y foaf:name ?X . }
```

That's all!

- Very simple, many useful extensions still missing, e.g.
 - calculating new bindings
 - aggregates